

CD-** Cable Pinout for the APG MultiPRO® Interfaces (320, 420, 520*)

			-- STATUS SWITCH --				----- 320 -----		----- SOLENOID -----		----- 420 -----	
			GND	COM	NO	NC	R SOL (-24V)	F SOL (+24V)	R SOL (-12V)	F SOL (+12V)		
Cash Drawer Internal Wiring												
320 Interface	8P8C Modular Jack	Pinouts:	1	2	3	4	6	7				
420 Interface	8P8C Modular Jack		1	2	3	4			5	8		
520 Interface	8P8C Modular Jack		1	2	3	4	6	7	5	8		
Cable PN	Host End Connector	Length (in)										
CD-001A	6P6C Mod Plug	60	1	6		3	2	4				
CD-001B	6P6C Mod Plug	60	1	6		3	5	4				
CD-002A	MOLEX 4PIN	60					2	1				
CD-003A	6P6C Mod Plug	60		5	4		2	3				
CD-003B	6P6C Mod Plug	60		5	4		1	3				
CD-005A	6P6C Mod Plug	60	1	6	3		2	4				
CD-005A10	6P6C Mod Plug	120	1	6	3		2	4				
CD-005B	6P6C Mod Plug	60	1	6	3		5	4				
CD-009A	6P6C Mod Plug	60		2		3	5	4				
CD-009A10	6P6C Mod Plug	125		2		3	5	4				
CD-009B	6P6C Mod Plug	60		2		3	1	4				
CD-010	BNC	60					SHELL	CENTER				
CD-013A	6P6C Mod Plug	60	1				2	3				
CD-013B	6P6C Mod Plug	60	1				5	3				
CD-014A	6P6C Mod Plug	60	1	6	4		2	3				
CD-014B	6P6C Mod Plug	60	1	6	4		5	3				
CD-017A	6P6C Mod Plug	60	1	6	4 [4.7K Res.]				2	3		
CD-D1D2	2 - 6P6C Mod Plugs	splitter	1-1-1	6-6-6	3-3-3		2-2-2	4-4-4				
CD-D1D2EP	2 - 6P6C Mod Plugs	splitter	1-1-1	6-6-	-3-3	3- -6	2-2-2	4-4-4				

Refer to the manufacturer's pinout documentation for other connector types.

* The 520 Interface can support both 12VDC & 24VDC environments. Any of the CD cables listed above can drive a 520 Interface Cash Drawer

